



ZPMV2.E146514 Wiring, Printed - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

BASELECTRON SRL

E146514

VIA MONS. ANGELINI 22/A

27028 S MARTINO SICCOMARIO, PV ITALY

	Cond Width				Max			Max			
		Min	Cond	SS/	Area	Solder		Oper		Meets	C
	Min	Edge	Thk	DS/	Diam	Limits		Temp	Flame	UL796	T
Type	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	C	sec	C	Class	DSR	I
Multilayer printed wiring boards.											
B	0.08 (0.003)	0.08 (0.003)	16.5 (0.65) Int:66	DS	50.8 (2.0)	275	10	125	V-0	All	*
B1	0.08 (0.003)	0.12 (0.005)	17 (0.67) Int:34	DS	76.2 (3.0)	280	20	130	V-0	All	-
B2	0.10 (0.004)	0.13 (0.005)	17 (0.67) Int:68	DS	50.8 (2.0)	288	10	130	V-0	All	*
Single layer metal base printed wiring boards.											
C	0.18 (0.007)	0.54 (0.021)	35 (1.38)	SS	76.2 (3.0)	288	10	130	V-0	All	0
Single layer printed wiring boards.											
A	0.08 (0.003)	0.08 (0.003)	16.5 (0.65)	DS	50.8 (2.0)	275	10	125	V-0	All	*
A2	0.08 (0.003)	0.08 (0.003)	17 (0.67)	DS	58 (2.3)	260	5	130	V-0	All	-

* - CTI PLC is marked on individual board.

DS - Duoble-Sided

NOTE - A triangle is marked on those products within a given type designation that comply with direct support of current-carrying parts performance level requirements of UL 796. "All" is used to indicate that all base materials under that type designation comply with direct support of current-carrying parts performance level requirement of UL796.



Marking: Company name or trademark or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2015-05-26

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".